

BMW Group

BMW AG 80780 München

SCT Vertriebs GmbH
Herrn P. Glaser
Feldstr. 154

22880 WEDEL

Ihre Zeichen
Ihre Nachricht vom
Absender
Telefon
Fax
e-mail
Datum
Thema

28.10.03
EA-32 / Wolfgang Kohlhepp
+49-89-382-34669
+49-89-382-70-34669
wolfgang.kohlhepp@bmw.de
10.11.2003
BMW Freigabe für "MANNOL Legend+Ester"

Sehr geehrter Herr Glaser,

hiermit übertragen wir die für das Motorenöl „IME 13108B“ der Fa. Infineum ausgesprochene Freigabe auf Ihr Rebrand-Produkt „MANNOL Legend+Ester“, SAE 0W-40. Dieses ist damit gemäß unserem Freigabeverfahren (3. Ausgabe November 2003) als „BMW Longlife-98 Öl“ für die Verwendung in Motoren der BMW AG in Übereinstimmung mit unseren Betriebsstoff-Vorschriften freigegeben.

Diese Bestätigung ist mit Datum dieses Schreibens für zwei Jahre gültig. Verlängerungen um jeweils zwei weitere Jahre sind rechtzeitig zu beantragen.

Die unter Verwendung der in dieser Freigabe genannten Code- bzw. Handelsbezeichnungen produzierten Motorenöle müssen in jeder Hinsicht dem geprüften Muster entsprechen. Jede Änderung der Formulierung ist den BMW Fachstellen „Entwicklung Antrieb“ und „Sparte Labor“ schriftlich mitzuteilen und bedarf einer erneuten schriftlichen Freigabe seitens BMW.

Die Veröffentlichung erfolgt in den BMW Betriebsstoff-Vorschriften wie folgt:

Handelsname:	Viskosität:	Hersteller:
MANNOL Legend+Ester	SAE 0W-40	SCT Vertriebs GmbH

Firma
Bayerische
Motoren Werke
Aktiengesellschaft
Postanschrift
BMW AG
80780 München
Hausanschrift
BMW Haus
Petuelring 130
Hausanschrift
Forschungs- und
Innovationszentrum (FIZ)
Kronstraße 147
Telefon
Zentrale
+49 89 382-0
Fax
+49 89 382-25000
Internet
www.bmwgroup.com
Bankkonto
BMW Bank GmbH
Konto 5100 940 940
BLZ 702 203 00
IBAN DE02 7022 0300
5100 9409 40
SWIFT/BIC
BMWDE33
Aufsichtsrats-
vorsitzender
Volker Dopperfeld
Vorstand
Helmut Panke
Vorsitzender
Emitl. Baumann
Michael Gansel
Burkhard Göschel
Stefan Krause
Norbert Reithofer
Sitz und
Registriergericht
München HRB 42243

Mit freundlichen Grüßen
Bayerische Motoren Werke Aktiengesellschaft

i.V. 
Hofmann
i.A. 
Fischer



5W30 COMBI LL

VOLKSWAGEN
AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT | 38440 WOLFSBURG | DEUTSCHLAND

SCT GmbH
Mr. Glaser
Feldstr. 154
22880 Wedel

P9
05.12.14
1437-elf-sk
9-73432
9-78095

irp@volkswagen.com / irp@volkswagen.de

HRZ ZEICHEN
HRZ NACHRICHT
UNSTZ ZEICHEN
DURCHWAHL
TELEFAX
E-MAIL

02.04.2015

Datum

Engine Oil

Dear Mr Glaser,

Analysis of the engine oil

Mannol Energy Combi LL SAE 5W-30 (Oil-Code OS 246239)

has shown that product in question meets the requirements in accordance with VW Standard 504 00 and VW Standard 507 00. This engine oil is therefore suitable for use in our vehicles with LongLife Service (petrol and diesel engines, including diesel engines with particulate traps without fuel borne catalyst) in accordance with the Owner's Literature for our products.

So that it is clear to both customers and workshops that this approval has been granted, containers should state:

"approved under VW Standard 504 00 and VW Standard 507 00"

This approval is only valid for the following production site:
UAB SCT Lubricants, Šilutės pl. 119, LT 95112, Klaipėda, Lithuania

Please note that this approval expires after 36 months, at which point compliance with the then valid VW standards must be verified again.

Yours sincerely,



I.V.



Sven-O. Kopsch
I.A.

VOLKSWAGEN AKTIENGESELLSCHAFT
38440 WOLFSBURG
DEUTSCHLAND
TELEFON +49 53 61 9-0
TELEFAX +49 53 61 9-2 931
WWW.VOLKSWAGEN.DE

ERSTVORSTEHENDER DES
AUFSICHTSRATS
KLAUS LEHNER

VERSTÄNDLICHER DES AUFSICHTSRATS
FERDINAND K. FIECH

VERSTAND
WARTIN WINTERKORN -
VORSITZENDER

PRÄSIDENTIN DER GENERALVERSAMMLUNG
JÖCHEN WITZMANN
CHRISTIAN KUNGLER
MATTHIAS MÜLLER
ROBERT NEUBANN
HANS-DIETER PÖTZSCH
ANDREAS BENSCHLER
RUPERT STADLER

VOLKSWAGEN AKTIENGESELLSCHAFT

10W40 CLASSIC

VOLKSWAGEN

AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT 38434 WOLFSBURG DEUTSCHLAND

Sudheimer Car Technik Vertriebs GmbH
z.Hd. Herrn Glaser
Feldstr. 154
22880 Wedel

PP
19.06.13
1437-ca-sk
9-73432
9-78095

engine oil approvals (wsg) / wst@volkswagen.de

31.07.2013

IHRE ZEICHEN
IHRE NACHRICHT
UNSERE ZEICHEN
DURCHWAHL
TELEFAX
E-MAIL

DATUM

Motoröl

Sehr geehrter Herr Glaser,

die Untersuchungen des Motorenöls

Mannol Classic SAE 10W-40 (Öl-Code: IME 0908575-A)

haben ergeben, daß das genannte Produkt sowohl die Anforderungen unserer VW-Norm 502 00 als auch der VW-Norm 505 00 erfüllt. Es ist damit für die Verwendung in unseren Otto- und Dieselmotoren einschließlich der Motoren mit Abgasturbolader gemäß den Angaben in den Betriebsanleitungen unserer Produkte geeignet.

Damit auch für Kunden und Werkstätten die Freigabe ersichtlich ist, sollten die Gebinde mit dem Vermerk

"freigegeben nach VW-Norm 502 00 und VW-Norm 505 00"

gekennzeichnet werden.


Wir weisen darauf hin, daß diese Freigabe nach 36 Monaten erlischt. Die Erfüllung der zu diesem Zeitpunkt gültigen VW-Norm ist dann erneut nachzuweisen.

Mit freundlichen Grüßen

i.V.



i.A.



VOLKSWAGEN AKTIENGESELLSCHAFT
38434 WOLFSBURG
DEUTSCHLAND
TELEFON +49 53 61 9-0
TELEFAX +49 53 61 9-2 81 82
WWW.VOLKSWAGEN.DE

PRÄSIDENT DER
AUFSICHTSRAT
KLAUS LIESEN

VERSTANDER DER AUFSICHTSRAT
FERDINAND K. RECH

VERSTANDER
MARTIN WINTERBORN -
VERSTANDERIN

KRISTIAN J. GARCIA SANE
JÜRGEN HEIMANN
CHRISTIAN KLINGLER
MICHAEL WACHT
HORST NEUMANN
HANS-DIETER FOTSCH
ALBERT STADLER

VOLKSWAGEN AKTIENGESELLSCHAFT
38434 WOLFSBURG
AMTSGERICHT BRUNNSCHWEGE

5W30 COMBI LL

DAIMLER



38230-FB

Daimler AG - 70546 Stuttgart

SCT-Vertriebs GmbH
Attn. Mr. Peter Glaser
Feldstraße 154
22880 Wedel

Telefon/Phone +49 7 11 17-	Teletax/Fax +49 7 11 17-	Hauspost-Code/ Internal Code
24801	59756	C401

Ihr Zeichen, Ihre Nachricht vom/
Your reference
10.04.2013

Unser Zeichen, unsere Nachricht vom/
Our reference
RD/PDI-F-38230

Name
E-Mail
Mrs. Fuchs

Datum/Date
24.09.2013

MB-Approval Certificate

New Approval - Engine Oil

MB-Approval 229.1 for: "Mannol CLASSIC 10W-40 "

Oil-Code: IME 09038 10-A, SAE-Grade: 10W-40

Reblend to IME 09038 10-A with Oil-Code: IME 09038 10-A, Infineum UK Limited

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.1 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE <http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the "Obligations Regarding Approval for Operating Fluids" contract signed on 04.07.2013 apply.

A 2-liter back-up sample of each formulation, which can be called upon by Daimler AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address.

Sincerely
Daimler AG

5W40 ELITE

DAIMLER



41716-FB

Mercedes-Benz (P) Ltd, Stuttgart

LIAB SCT Lubricants
Attn: Mrs. Renata Zubaitė
Silutes pl. 119
LT95112 KLAIPEDA - LITHUANIA
LITHUANIA

Telephone (Home)	Telephone (Fax)	Headprint-Code/ Approval Code
+370 11 32 24801	+370 11 32 59756	C401

By (Customer, New Approval only)
Valid from/valid to

01.10.2013

Order Reference, previous Approvals only/
Order Reference

RD/PDI-F-4171B

Name
E-Mail

Mrs. Fuchs

Issue Date

08.01.2014

MB-Approval Certificate

New Approval - Engine Oil

MB-Approval 229.3 for: "MANNOL ELITE 5W-40"

Oil-Code: ELITE9490, SAE-Grade: 5W-40

Reblend to LBB 14729-A with Oil-Code: LBB 14729-A, AFION Chemical GmbH

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.3 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE <http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the "Obligations Regarding Approval for Operating Fluids" contract signed on 05.12.2013 apply.

A 2-liter back-up sample of each formulation, which can be called upon by Daimler AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address.

Sincerely
Daimler AG

i.V. Fritz Kreitmann

i.V. Dr. Heinz Oing

Mercedes-Benz (P) Ltd, Stuttgart
Stuttgarter Ring 3, 70546 Stuttgart, Germany
Stuttgarter Ring 3, 70546 Stuttgart, Germany
Stuttgarter Ring 3, 70546 Stuttgart, Germany
Stuttgarter Ring 3, 70546 Stuttgart, Germany
Stuttgarter Ring 3, 70546 Stuttgart, Germany
Stuttgarter Ring 3, 70546 Stuttgart, Germany

Mercedes-Benz (P) Ltd, Stuttgart
Stuttgarter Ring 3, 70546 Stuttgart, Germany
Stuttgarter Ring 3, 70546 Stuttgart, Germany
Stuttgarter Ring 3, 70546 Stuttgart, Germany
Stuttgarter Ring 3, 70546 Stuttgart, Germany
Stuttgarter Ring 3, 70546 Stuttgart, Germany
Stuttgarter Ring 3, 70546 Stuttgart, Germany

10W40 CLASSIC

DAIMLER



38230-FB

Mercedes-Benz AG, 70344 Stuttgart

SCT-Vertriebs GmbH
Attn. Mr. Peter Glaser
Feldstraße 154
22880 Wedel

Mercedes-Benz Approval Number	Technical File Number (No.)	Approval Status/ Approval Code
24801	59/56	C401

For Daimler, the Mercedes-Benz AG/
Date of Approval
10.04.2013

Owner (Daimler-Chrysler Nachschub GmbH)
Date of Approval
RD/PDI-F-38230

Name
of Sign.
Mrs. Fuhs

Valid Until
24.09.2013

MB-Approval Certificate

New Approval - Engine Oil

MB-Approval 229.1 for: "Mannol CLASSIC 10W-40 "

Oil-Code: IME 09038 10-A, SAE-Grade: 10W-40

Reblend to IME 09038 10-A with Oil-Code: IME 09038 10-A, Infineum UK Limited

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.1 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE <http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the "Obligations Regarding Approval for Operating Fluids" contract signed on 04.07.2013 apply.

A 2-liter back-up sample of each formulation, which can be called upon by Daimler AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address.

Sincerely
Daimler AG

I.V. Fritz Kreitmann

I.V. Dr. Hermann Breitbach

Mercedes-Benz AG, Stuttgart, Germany
Registered in the Commercial Register and Court of Records - Stuttgart, 159916 (Commercial Register No.: 15 380)
Vorsitzender des Aufsichtsrats/Chairman of the Supervisory Board: Manfred Meußel
Vorstand/Board of Management: Dieter Zetsche, Volkswagen/Chairman
Willyburg-Strasse 4, D-70372 Stuttgart-Oberrain, Germany, 49 (49) 71 41 01-22 84
Mercedes-Benz, Stuttgarter Platz, Thomas-Müller

Mercedes-Benz
70344 Stuttgart
Tel./Fax: +49 71 41 12 12
Tel./Fax: +49 71 41 01 22 84
bevo@mercedes.com
www.mercedes.com

TS 4 UHPD

DAIMLER

Mercedes-Benz Group AG
SCT Vertriebs GmbH
Attn: Mr. P. Glaser
Feldstr. 154
22880 WEDDEL

Order/Phone	Order/Phone	Approval Code/
1487 11 11	1487 11 11	Internal Code
24801	9975e	C401
to: Mercedes-Benz (Mercedes-Benz AG)	to: Mercedes-Benz (Mercedes-Benz AG)	to: Mercedes-Benz (Mercedes-Benz AG)
18.07.2009	EP/MDV F 13525	18.12.2009

MB-Approval Certificate

MB-Approval for: Engine Oil "Mannol TS-4 SHPD Extra 15W40 "

Refer to OE175388, Lubrizol Limited
MB-Info-Sheet: 228.3, Oil-Code: OE175388, SAE-Grade: 15W-40
Change of Product Name - Retired

Dear Sir or Madam,

We have examined the changes made to the previously approved operating fluid shown above. The operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 228.3 and is therefore re-approved for use in Mercedes-Benz vehicles and assemblies. The application range is shown and explained on the sheet. Other requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

MB-Approval is valid with date of this certificate. The validity period is limited to the validity period of the above mentioned original and will expire in 5 years at the latest. New approvals have to be applied for in good time.

A 2 liter sample of each formulation (including all SAE grade variants) must be retained at all times, and can be called upon by Daimler AG at any given moment. We will advise the address.

The MB-Approval dated 18.01.2008 becomes invalid.

Sincerely
Daimler AG



I.V. W. Schmid



I.V. Dr. Keppeler

13525 - H₆

Mercedes-Benz Group AG
Daimler Engineering & Technologies AG
Mercedes-Benz Group AG
Mercedes-Benz Group AG
Mercedes-Benz Group AG
Mercedes-Benz Group AG
Mercedes-Benz Group AG
Mercedes-Benz Group AG
Mercedes-Benz Group AG
Mercedes-Benz Group AG

Mercedes-Benz Group AG
Daimler Engineering & Technologies AG
Mercedes-Benz Group AG
Mercedes-Benz Group AG
Mercedes-Benz Group AG
Mercedes-Benz Group AG
Mercedes-Benz Group AG
Mercedes-Benz Group AG
Mercedes-Benz Group AG
Mercedes-Benz Group AG

TS 5 UHPD

DAIMLER



Daimler AG, 70544 Stuttgart

UAB SCT Lubricants
Attn: Mrs. Renata Zubaite
Silutes pl. 119
LT95112 KLAIPEDA - LITHUANIA
LITHUANIA

Supplier's Phone	Supplier's Fax	Product Code/ Invoice Code
+370 7 11 17 1	+370 7 11 17 1	C401

Our Order No. (Manufacturer's order)
Your reference:
05.11.2014

Order Number (Customer's reference)
Our reference:
RD/POH-50472

Name
E-Mail:
Mrs. Fuchs

Invoice Date:
08.12.2014

MB-Approval Certificate Changing the Formulation

MB-Approval 228.3 for Engine Oil: "Mannol TS-5 UHPD 10W40 "

Oil-Code: TS58766B, SAE-Grade: 10W-40

Reblend to LBB 14053-A with Oil-Code: LBB 14053-A, AFTON Chemical GmbH

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 228.3 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE <http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good
- In addition, the regulations laid down in the "Obligations Regarding Approval for Operating Fluids" contract signed on 26.11.2014 apply.

A 2-liter back-up sample of each formulation, which can be called upon by Daimler AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address.
Former MB-Approval Certificates for the aforementioned operating fluid are hereby rendered invalid.

Sincerely
Daimler AG


I.V. Dr. Wolfgang Sladek


I.V. Dr. Oliver Storz

Daimler AG, Stuttgart, Germany
Stuttgarter Registeramt/Stuttgart and Court of Registry - Stuttgart, HRB-W/Güterverehr Register No.: 15 040
Vorstand/Vorstand des Aufsichtsrats/Chairman of the Supervisory Board: Manfred Eberle/F
Vorstand/Vorstand des Aufsichtsrats/Chairman of the Supervisory Board: Dieter Detzsch, Vorsitzender/Vorstand:
Wolfgang Bernhard, Christian Huberlein-Denkwardt, Wilfried Pöhl, Holger Frank
Bodo Winkel, Thomas Weber

Daimler AG
70544 Stuttgart
Telefon/Phone +49 7 11 17-0
Telefax/Fax +49 7 11 17 2 22 2 2
daimler@daimler.com
www.daimler.com

TS 6 UHPD

DAIMLER

Order No.: 15443/04ger

URS SCT Lubricants
Attn. Mrs. Zubala
Silesas pl. 119
LT95112 KLAIPEDA - LITHUANIA
LITHUANIA

Order No.	Order No. (English)	Quantity/Weight	Material Code
15.03.2009	CP/MOR F 13104	24807	68704
			G401
			30.06.2009

MB-Approval Certificate

MB-Approval for: Engine Oil *Mannol TS-6 UHPD Eco 10W40*

Rebrand to: OI224584, Lubrizol Limited
MB-Info-Street: 228.5, OI-Code: OI224584, SAE-Grade: 10W-40
New Approval - Rebrand

Dear Sir or Madam,

The operating fluid shown above complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 228.5 and is therefore approved for use in Mercedes-Benz vehicles and assemblies. The application range is shown and explained on the sheet 228.2. Our other requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

MB-Approval is valid with date of this certificate. The validity period is limited to the validity period of the above mentioned original and will expire in 5 years at the latest. New approvals have to be applied for in good time.

A 2 litre sample of each formulation (including all SAE grade variants) must be retained at all times, and can be called upon by Daimler AG at any given moment. We will advise the address.

Sincerely
Daimler AG


I.V. Schmidt


I.V. Schnitzke

13104 *AK*

Daimler AG, Stuttgart, Germany
The sole representative/consolidator and agent of registration: Stuttgart, 1899 No./Commercial Register No.: H 250
Responsible for Administration/Chairman of the Supervisory Board: Manfred Bechtel
President/Board of Management: Oliver Zetsche, Volkswagen/Chairman
Wolfgang Peck, Andreas Reussner, Gerd Gönner, Thomas Winter

Daimler AG
70544 Stuttgart
Telephone/Phone: +49 714 234
Telefax/Fax: +49 71 4 232344
daimler@daimler.com
www.daimler.com

TS 7 UHPD

DAIMLER



704946-001 - 704946 Stuttgart

UAB SCT Lubricants
Attn. Mrs. Renata Zubaitė
Silutes pl. 119
LT95112 KLAIPEDA - LITHUANIA
LITHUANIA

Starting Point	Termination	Approval Code
+49 7 11 12	+49 7 11 12	
34801	59756	C401

By Daimler, the Mercedes-Benz
Technische
07.03.2014

By Daimler, the Mercedes-Benz
Technische
RD/PTX-F-45 103

Name
Signed
Mrs. Fuchs

Issue Date
30.06.2014

MB-Approval Certificate

Changing the Formulation

MB-Approval 228.51 for Engine Oil: *Mannol TS-7 UHPD Blue 10W40*

Oil-Code: TS73336, SAE-Grade: 10W-40

Replaced to IME 1101669-U with Oil-Code: IME 1101669-U, Infineum UK Limited

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 228.51 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE <http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good
- In addition, the regulations laid down in the "Obligations Regarding Approval for Operating Fluids" contract signed on 07.05.2014 apply.

A 2-liter back-up sample of each formulation, which can be called upon by Daimler AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address.

Former MB-Approval Certificates for the aforementioned operating fluid are hereby rendered invalid.

Sincerely
Daimler AG

i.V. Dr. Andreas Gerbach

i.V. Dr. Oliver Storz

Daimler AG, Stuttgart, Germany
Stb. und Registergericht/District and Court of Registry: Stuttgart, 193-Nr./Commercial Register No.: 18 366
Vorstand/Board of Directors/Chairman of the Supervisory Board: Manfred Borchert
Vorstand/Board of Management: Gernot Zetsche, Volkmar Denz, Oliver Zipse
Managing Director: Christian Heitsch, Oliver Hofmann-Blumhardt, Wilfried Pfort, Tobias Reuss
Stb. 14308, Telefon-Nr.

Daimler AG
70374 Stuttgart
Telefon/Phone: +49 7 11 12 0
Telefax/Fax: +49 7 11 17 1 23 04
daimler@mercedes.com
www.mercedes.com

10W40 CLASSIC



DREAM / DESM / Service 80100 / TCR LAB 1 52
Technocentre - L. Arnaud de Gont
3004 Guyancourt Cedex

Téléphone : +33 (0)1 76 09 78 03
Fax : +33 (0)1 76 09 08 41
Arnaud.Morizot@renault.com

API : FR TCR LAB 1 52
Grégory ALEXANDRE

Réf. 66150-2013-179

Le 15/05/2013

Attention: Renata Zubaite
Company: **UAB "SCT Lubricants"**

Address: Silutes pl. 119 – LT 95112
LITHUANIA

Objet : RN0700 Certification – SCT Lubricants.

Dear Mr. Zubaite,

I am pleased to send you the Renault certificate. Here you can find some details about your RN after sale engine oil :

Brand names : "Mannol Classic 10w-40"

- (IME0903810-A - 10w40 - A3/B4-10) : **RN0700-13-16**

The certification is effective for 4 years (until 14/05/2017).

Thank you for your cooperation.

Kind regards,

Arnaud MORIZOT
Chef de Service
« Matériaux polymères et fluides »

TS 4 UHPD

MAN Truck & Bus AG



MAN Truck & Bus AG Postfach 44 02 58 90027 Nürnberg
Sudheimer Car Technik Vertriebs GmbH
Herr P. Glaser
Feldstrasse 154
22880 Wedel

Wie Zitiert	Wie Nachschicken	Unser Hauptort	Unser Telefon	Unser Zeichen	Nürnberg
		0911 420-2995	0911 420-1928	EPTAD, Jäger	08.04.2014

Prolongation of approval against M 3275-1 (Multigrades)

Start of approval: 09.07.2007
Prolongation of approval until: 08.07.2017
Marketing area: worldwide

Dear Sirs,

we are pleased to inform you, that the approval for the super high performance diesel engine oil bearing the designation

Mannol T 8-4 8HPD 15W40

has been prolonged for the next three years under MAN approval-no.

TUC 8512/07 for SAE 15W-40

This prolongation is only available for the unchanged formulation and in combination with the original approval letter. The approval will automatically expire at the point in time indicated above unless an prolongation has been applied for in good time by the maker or supplier

Yours faithfully,

MAN Truck & Bus AG

This letter was created electronically without signature.

Ursula Jäger

Vorsitzender des Aufsichtsrates: Rupert Stadler
Vorstand: Anders Nielsen (Sprecher), Jörg Aschboch, Bernd
Meierhofer, Dr. Carsten Intra, Jochen Schmitt, Ulf
Berkenhagen, Heinz-Jürgen Löw

Sitz der Gesellschaft: München
Commerzbank Aktiengesellschaft, Dachau BLZ 700 400 41 Konto 1450600
IBAN: DE33 7004 0311 0145 0000 00 BIC: COBADE33XXX
Sparkassen München BLZ 701 900 00 Konto 89104400
IBAN: DE38 7015 0000 0066 1044 00 BIC: SSKMDE33

Regelgericht: Amtsgericht München HRB 88 963 | USt-IDNr. DE811525281

MAN Truck & Bus AG
Postfach 44 02 58 90027 Nürnberg
Vogelwehndorfer Str. 33 90561 Nürnberg
Telefon +49 911 420-0 oder Durchwahl
Telefax +49 911 420 448522
Wagenkatalogen: Mfg.-RdL
Lkw-Broschüren: Mfg.-Vogelwehndorfer Str. 33
www.man-truck.com
Ein Unternehmen der MAN Gruppe

TS 5 UHPD

MAN Truck & Bus AG



MAN Truck & Bus AG Postfach 44 02 58 90007 Nürnberg
Sudheimer Car Technik Vertriebs GmbH
Herr P. Glaser
Felstrasse 154
22680 Wedel

Unsere Zeichen	Unsere Nachfrist vom	Unser Hinweis	Unser Telefon	Unser Zeichen	Nürnberg
		0911 420-2055	0911 420-9328	EPTAO, Jäger	08.04.2014

Prolongation of approval against M 3275-1 (Multigrades)

Start of approval: 09.07.2007

Prolongation of approval until: 08.07.2017

Marketing area: worldwide

Dear Sirs,

we are pleased to inform you, that the approval for the super high performance diesel engine oil bearing the designation

Mannol T 3 5 UHPD 10W40

has been prolonged for the next three years under MAN approval-no.

TUC 8613/07 for SAE 10W-40

This prolongation is only available for the unchanged formulation and in combination with the original approval letter. The approval will automatically expire at the point in time indicated above unless an prolongation has been applied for in good time by the maker or supplier

Yours faithfully,

MAN Truck & Bus AG

This letter was created electronically without signature.

Ursula Jäger

Vorsitzender des Aufsichtsrates: Rupert Stöcker
Vorstand: Anders Nielsen (Sprecher), Jörg Aebisch, Bernd
Meierhofer, Dr. Carsten Inba, Jochen Schumm, Ulf
Berkenhagen, Heinz-Jürgen Löw

Sitz der Gesellschaft: München
Commerzbank Aktiengesellschaft, Dachau BLZ 700 400 41 Konto 1450800
IBAN: DE33 7004 0041 1445 0800 00 BIC: COBADE33XXX
Sparkassen München BLZ 701 500 00 Konto 66194400
IBAN: DE36 7015 0000 0066 1044 00 BIC: SKMDEM33

Registriergericht: Amtsgericht München HRB 86 963 | USt-IdNr.: DE811125281

MAN Truck & Bus AG
Postfach 44 02 58 90007 Nürnberg
Vogelwehnerstraße 33 90561 Nürnberg
Telefon +49 911 420-0 oder -Dachstuhl
Telefax +49 911 420 446522
Wagenkataloge: Nbg.-Rbf.
Lkw-Sendungen: Nbg.-Vogelwehnerstr. 33
www.man-trk.com
Ein Unternehmen der MAN Gruppe

TS 5 UHPD

MAN Truck & Bus AG



MAN Truck & Bus AG Postfach 44 02 58 90027 Nürnberg
Sudheimer Car Technik Vertriebs GmbH
Herr P. Glaser
Felstrasse 154
22880 Wedel

Re: Zeichen	Re: Nachfrist vom	Unser Haupt	Unser Telefon	Unser Zeichen	Nürnberg
		0911 420-2095	0911 420-1928	EPTAD, Jäger	05.04.2014

Prolongation of approval against M 3277

Start of approval: 22.04.2009

Prolongation of approval until: 21.04.2017

Marketing area: Europe, Asia, Commonwealth of Independent States

Dear Sirs,

we are pleased to inform you, that the approval for the super high performance diesel engine oil bearing the designation

Mannol T 3-8 UHPD Eco 10W40

has been prolonged for the next three years under MAN approval-no.

TUC 0150/08 for SAE 10W-40

This prolongation is only available for the unchanged formulation and in combination with the original approval letter. The approval will automatically expire at the point in time indicated above unless an prolongation has been applied for in good time by the maker or supplier

Yours faithfully,

MAN Truck & Bus AG

This letter was created electronically without signature.

Ursula Jäger

Vorsitzender des Aufsichtsrates: Rupert Stadler
Vorstand: Anders Nielsen (Sprecher), Jörg Aschloch, Bernd
Meierhofer, Dr. Carsten Intra, Jochen Schumm, Ulf
Berkenhagen, Heinz-Jürgen Löw

BLZ der Gesellschaft München
Commerzbank Aktiengesellschaft, Dachau
IBAN: DE33 7004 0045 0145 0000 00
Sparkassen München
IBAN: DE36 7015 0000 0066 1044 00
BLZ 700 400 41 Konto 1450000
BIC: COBADE33XXX
BLZ 701 500 00 Konto 66104400
BIC: SSKMDE33

Regelgericht: Amtsgericht München HRB 85 963 | USt-IdNr. DE811525281

MAN Truck & Bus AG
Postfach 44 02 58 90027 Nürnberg
Vogelwehstraße 33 90561 Nürnberg
Telefon +49 911 420-0 oder -Dachstuhl
Telefax +49 911 420 446522

Wagenladungen: Nbg-RdH
Lkw-Sendungen: Nbg.-Vogelwehstr. 33

www.man-truck.com

TS 7 UHPD

MAN Truck & Bus AG



MAN Truck & Bus AG Postfach 44 02 58 90027 Nürnberg

Sudheimer Car Technik Vertriebs GmbH

Herr P. Glaser

Felstrasse 154

22880 Wedel

Ein Zeichen	Ein Nachschlüssel	Unser Hauptort	Unser Telefax	Unser Zeichen	Nürnberg
		0911 420-2005	0911 420-1928	EPTAD, Jäger	08.04.2014

Prolongation of approval against M 3477

Start of approval: 17.03.2009

Prolongation of approval until: 16.03.2017

Marketing area: Europe, Asia, Commonwealth of Independent States

Dear Sirs,

we are pleased to inform you, that the approval for the super high performance diesel engine oil bearing the designation

Mannol T 3-7 UHPD Blue 10W40

has been prolonged for the next three years under MAN approval-no.

TUC 0110/08 for SAE 10W-40

This prolongation is only available for the unchanged formulation and in combination with the original approval letter. The approval will automatically expire at the point in time indicated above unless an prolongation has been applied for in good time by the maker or supplier

Yours faithfully,

MAN Truck & Bus AG

This letter was created electronically without signature.

Ursula Jäger

Vorsitzender des Aufsichtsrates: Rupert Stadler

Vorstand: Anders Nielsen (Sprecher), Jörg Aebischer, Bernd Meierhofer, Dr. Candan Inba, Jochen Schumm, Ulf Berkenhagen, Heinz-Jürgen Löw

Stz der Gesellschaft: München

Commerzbank Aktiengesellschaft, Dachau BLZ 700 400 41 Konto 1450600

IBAN: DE33 2004 0041 0145 0500 00 BIC: COBADE33XXX

Sparkassen München BLZ 701 500 05 Konto 66104400

IBAN: DE36 7015 0000 0069 1004 00 BIC: SSKMDE33

Registrierungsgericht: Amtsgericht München HRB 86 963 | USt-IdNr.: DE811125281

MAN Truck & Bus AG

Postfach 44 02 58 90027 Nürnberg

Vogelwehnerstraße 33 90561 Nürnberg

Telefon +49 911 420-0 oder -Durchwahl

Telefax +49 911 420 446522

Wagenladungen: Nbg.-Rbf

Lkw-Sendungen: Nbg. - Vogelwehnerstr. 33

www.man-truck.com

Ein Unternehmen der MAN Gruppe

TS 4



Volvo Group Trucks Technology

STD 417-0002 approval request

Data supplied by requesting company

Company name:*	UAB "SCT Lubricants"
Brand name:*	Manrol TS-4 SHPD 15W40
Oil code:	LBB 11455-G
Viscosity grade:	15W-40
Marketing area:	Europe, Asia, Commonwealth of Independent States
Other approvals:	ACEA E7-08
	API CI-4
	OEM

*) As they shall appear in approved products lists

Date of submission 2014 02 25

Submitted by

Name: Renata Zubate
Company: UAB "SCT Lubricants"

Return approval to:

Name: Renata Zubate
e-mail: renata@sct.lt

Approval

Volvo VDS-3 approval	Yes
Mack EO-N approval	Yes
Renault VI RLD-2 approval	Yes

Approval date: March 4, 2014 Approval #: 417-0002-14-185

Validity: Approval expires two years after the approval date.
For approval extension, a complete and updated approval form must be submitted at the expiry date ± two months.

Signed: Volvo Group Trucks Technology

Bengt Otterholm
Lubricants Coordinator

Disclaimer: This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).

TS 5



Volvo Group Trucks Technology

STD 417-0002 approval request

Data supplied by requesting company

Company name: UAB "SCT Lubricants"
Brand name: Mannol TS-5 LHPD 10W40
Oil code: LBB 11566-F
Viscosity grade: 10W-40
Marketing area: Europe, Asia, Commonwealth of Independent States
Other approvals: ACEA E7-08
API CI-4/SL
OEM

*) As they shall appear in approved products lists

Date of submission: 2014 02 25

Submitted by

Name: Renata Zubaitė
Company: UAB "SCT Lubricants"

Return approval to:

Name: Renata Zubaitė
e-mail: renata@sct.lt

Approval

Volvo VDB-3 approval	Yes
Mack EC-N approval	Yes
Renault VI RLD-2 approval	Yes

Approval date: March 4, 2014 Approval #: 417-0002-14-190

Validity: Approval expires two years after the approval date.
For approval extension, a complete and updated approval form must be submitted at the expiry date ± two months.

Signed: Volvo Group Trucks Technology

Bengt Otterholm
Lubricants Coordinator

Disclaimer: This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).

TS 6



Volvo Powertrain Corporation

STD 417-0002 approval request

Data supplied by requesting company

Company name: UAB "SCT Lubricants"
Brand name: Mannol TS-6 Eco UHPD 10W40
Oil code: LRB 12719-F
Viscosity grade: 10W-40
Marketing area: Asia, Commonwealth of Independent States
Other approvals: ACEA/E7-08
API/CI-4
OEM/MB228.5, MAN3277

*) As they shall appear in approved products lists

Date of submission: 2012 09 20

Submitted by

Name: Renata Zubate
Company: UAB "SCT Lubricants"

Return approval to:

Name: Renata Zubate
e-mail: Renata@sc.lt


Approval

Volvo VDS-3 approval	Yes
Merck I/D-N approval	Yes
Renault VI RLD-2 compliance	Yes

Approval date: September 3, 2012 Approval #: 417-0002-12-471

Validity: Approval expires two years after the approval date.
For approval extension, a complete and updated approval form must be submitted at the expiry date ± two months.

Signed: Volvo Powertrain Corporation


Bernd Oberholz
Lubricants Coordinator

Disclaimer: This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).

TS 7



Volvo Group Trucks Technology

STD 417-0001 approval request

Data supplied by requesting company

Company name:*	LIAB "SCT Lubricants"
Brand name:*	Mannol TS-7 UHPD Blue 10W-40
Oil code:	(IME 1101669-U)
Viscosity grade:	10W-40
Marketing area:	Europe, Asia, Commonwealth of Independent States
Other approvals:	ACEA E4-08, E6-08, E7-08, E9-08
	API CJ-4
	OEM MB 228.51/228.31, MAN M 3477, M 3575, MG271-1, DQC IV-10 LA
	MTU Category 3.1/2.1, CEB 20081

*) As they shall appear in approved products lists

Date of submission: 2013 03 20

Submitted by

Name: Renata Zubelté
Company: LIAB "SCT Lubricants"

Return approval to:

Name: Renata Zubelté
e-mail: renata@sct.it

Approval

Volvo VDS-4 approval	Yes
Mack EO-O Premium Plus approval	Yes
Renault VI RLD-3 approval	Yes

Approval date: April 14, 2015 Approval #: 417-0001-15-513

Validity: Approval expires two years after the approval date.
For approval extension, a complete and updated approval form must be submitted at the expiry date ± two months.

Signed: Volvo Group Trucks Technology


Bengt Otterholm
Lubricants Coordinator